

Model ZJN-82C500Y001

500W 220V Brushless Motor (Peripheral By Pass)

vacuum cleaner motor

Applications

Fume/Smoke Extraction Ventilation Devices Air-blasting Equipment

Printing Machine Spraying Equipment Carv Model ZJN-82C500Y001

500W 220V Brushless Motor (Peripheral By Pass)

vacuum cleaner motor

Applications

Fume/Smoke Extraction Ventilation Devices Air-blasting Equipment

Printing Machine Spraying Equipment Carved Equipment Dust Extraction

Small Industrial Vacuum Cleaner Welding Smoke Purifiers Medical Laser Fume Extraction

Vacuum Cleaner (Central Vacuum, Industry Vacuum, Vacuum Wet & Dry)

Floor Scrubber Hopper loader Spray Device.

Basic Parameter:

Voltage (V): 220

Power (W): 500

Fan System: Peripheral By Pass, 2 Stage

Insulation: F

Max. Air Flow (m<sup>3</sup>/min): 2.21

Max. Vacuum Pressure (kPa): 16.14

Weight (kg): 1.63

Max. Efficiency

Orifice (mm): 16

Vacuum Pressure (kPa): 7.64

Air Flow (m<sup>3</sup>/min): 1.2 smoke Purifiers Medical Laser Fume Extraction

Vacuum Cleaner (Central Vacuum, Industry Vacuum, Vacuum Wet & Dry)

Floor Scrubber Hopper loader Spray Device.



