

Model No.: LY-FP43

Size:H430\*W380\*D310

Package size:H430\*W430\*D360mm

Color:Black, White

Lock:Electronic digital lock

N.W.:44kg

Certificate:RoHS/CE/ISO/3C

OEM&ODM: Available

Fire rating:1 hour

Packaging & delivery

Selling Units: Single item

Single package size: 45X38X45 cm

Single gross weight:53.000 kg

Package Type:With bubble plastic bag; with 8 pcs foam corner; with export carton; with strips; 1 PCS/CTN

Picture Example:

package-imgpackage-img

Lead time:

Quantity(pieces) 1 - 1 2 - 50 51 - 100 >100

Lead time (days) 3 15 30 To be negotiated

The fire safe can withstand a temperature of 1024°C 1 hour.

It can keep the indoor temperature safe for irreplaceable documents, valuables, DVDs and USB;

can withstand the fall of 4m in the fire and keep it closed;

set up your own digital combination fire safe with secondary lock key, which has strong security;

digital combination In order to obtain the best performance, Loyal's safe recommends the use of four high-quality brand-name alkaline AA batteries with a validity period of 8-10 years.

Normal and rechargeable batteries usually do not have the life required to support long-term use

Appearance features of the box: door body, flat door, box body: 90 degree right angle bending door plate:

outer door hinge, 2-level thickness (total thickness is 17+60=77mm Account opening method:

double anti-theft

lock is opened at the same time Door panel: thickness 17mm, thickness of both sides and back of box: 30mm Matching

color: black, gray, interior configuration: one piece of blanket Lock structure: equipped with handle, the lock bolt on the top,

bottom, left and right of the heaven and earth lock, the diameter of the lock bolt: 24mm, the opening angle of the door is

183 degrees, the fire safe is equipped with 4-12 movable locking bolts, steel structure, anti prying hinge rod, locking

drawer, indoor lamp and bolt fastening hardware.

| size            | N.W   | Safe description  |
|-----------------|-------|---|
| H520*W380*D360  | 50KG  | <p>The fire safe can withstand a temperature of 30 °C in the cabinet for 1 hour at 750 °C, It can keep the indoor temperature safe for irreplaceable documents, valuables, DVDs and USB; e can withstand the fall of 4m in the fire and keep it closed; set up your own digital combination fire safe with secondary lock key, which has strong security; digital combination In order to obtain the best performance, Wilhelm's safe recommends the use of four high-quality brand-name alkaline AA batteries with a validity period of 8-10 years. Normal and rechargeable batteries usually do not have the life required to support long-term use</p> |
| H570*W400*D360  | 52KG  |   |
| H620*W440*D380  | 67KG  |   |
| H670*W440*D380  | 72KG  |   |
| H720*W460*D400  | 81KG  |   |
| H820*W480*D420  | 88KG  |   |
| H920*W520*D440  | 119KG |   |
| H1020*W560*D480 | 155KG |   |
| H1220*W560*D480 | 169KG |   |



**White**




**Gray**



**Black**

# PERFORMANCE

55MM fireproof thickness




Combustion at 750 °C  
for 1 hour, documents  
NO carbonization.





**Laser cutting machine** to rare gap between door and frame.





Reinforced Hinge, security upgrade



Door frame groove design, anti-prying upgrade

# LED DIGITAL INTELLIGENT PASSWORD LOCK



Master key  
hole


Intelligent  
LED display

Password  
Button

Battery case  
emergency keyhole



**Material Cutting**



**Laser cutting**



**Punching**



**Welding**



**Polish**



**Spraying**



**Filling**



**Assemble**



**Inspection**



**Packing**



**Warehouse**



**Transport**